


**AERO-NCD**

BRONZE SAFETY RELIEF VALVE

Sealing**A3W (Inlet threading)****1/2" - 2"****Lever****A3WL (Inlet threading)****1/2" - 2"****Dimensions****Sealing**

Unit : mm

Lever

Unit : mm

Item Size	A	Inlet B	Outlet C	Valve seat orifice D	E	F	Lift	Wt. Kg	Item Size	A1	Wt. Kg
1/2"	140	1/2"	1/2"	13	32	52	0.52	0.53	1/2"	162	0.6
3/4"	150	3/4"	3/4"	19	36	58	0.76	0.68	3/4"	172	0.76
1"	185	1"	1"	25	40	71	1.00	1.10	1"	204	1.25
1-1/4"	208	1-1/4"	1-1/4"	32	52	83	1.28	1.87	1-1/4"	223	1.86
1-1/2"	236	1-1/2"	1-1/2"	38	58	96	1.52	2.28	1-1/2"	252	2.31
2"	265	2"	2"	50	65	103	2.00	3.91	2"	287	4.13


General Material

NO	Type Parts Name	A3W Sealing	A3WL Lever
1	Valve body	Cast bronze	Cast bronze
2	Valve seat	Forging brass	Forging brass
3	Disc	Forging brass	Forging brass
4	Spring	Steel	Steel
5	Stem	Brass	Brass
6	Cap	Forging brass	Cast bronze
Working pressure		0.3 ~ 10 kgf/cm ²	
Working temp.		-45°C ~ 185°C	
Working fluid		Noncorrosive Gas · Noncorrosive Liquid · Steam	

AEROTECH INTERNATIONAL CO., LTD.
 TEL : 886-7-323-1390 , FAX : 886-7-321-6728
 E-mail : aerotech@ms21.hinet.net

**AERO-NCD**

BRONZE SAFETY RELIEF VALVE

Sealing**A3W (Inlet threading)****1/2" - 2"****Lever****A3WL (Inlet threading)****1/2" - 2"****Dimensions****Sealing**

Unit : mm

Lever

Unit : mm

Item Size	A	Inlet B	Outlet C	Valve seat orifice D	E	F	Lift	Wt. Kg	Item Size	A1	Wt. Kg
1/2"	140	1/2"	1/2"	13	32	52	0.52	0.53	1/2"	162	0.6
3/4"	150	3/4"	3/4"	19	36	58	0.76	0.68	3/4"	172	0.76
1"	185	1"	1"	25	40	71	1.00	1.10	1"	204	1.25
1-1/4"	208	1-1/4"	1-1/4"	32	52	83	1.28	1.87	1-1/4"	223	1.86
1-1/2"	236	1-1/2"	1-1/2"	38	58	96	1.52	2.28	1-1/2"	252	2.31
2"	265	2"	2"	50	65	103	2.00	3.91	2"	287	4.13


General Material

NO	Type Parts Name	A3W Sealing	A3WL Lever
1	Valve body	Cast bronze	Cast bronze
2	Valve seat	Forging brass	Forging brass
3	Disc	Forging brass	Forging brass
4	Spring	Steel	Steel
5	Stem	Brass	Brass
6	Cap	Forging brass	Cast bronze
Working pressure		0.3 ~ 10 kgf/cm ²	
Working temp.		-45°C ~ 185°C	
Working fluid		Noncorrosive Gas · Noncorrosive Liquid · Steam	

AEROTECH INTERNATIONAL CO., LTD.
 TEL : 886-7-323-1390 , FAX : 886-7-321-6728
 E-mail : aerotech@ms21.hinet.net

**AERO-NCD**

BRONZE SAFETY RELIEF VALVE

Sealing**A3W (Inlet threading)****1/2" - 2"****Lever****A3WL (Inlet threading)****1/2" - 2"****Dimensions****Sealing**

Unit : mm

Lever

Unit : mm

Item Size	A	Inlet B	Outlet C	Valve seat orifice D	E	F	Lift	Wt. Kg	Item Size	A1	Wt. Kg
1/2"	140	1/2"	1/2"	13	32	52	0.52	0.53	1/2"	162	0.6
3/4"	150	3/4"	3/4"	19	36	58	0.76	0.68	3/4"	172	0.76
1"	185	1"	1"	25	40	71	1.00	1.10	1"	204	1.25
1-1/4"	208	1-1/4"	1-1/4"	32	52	83	1.28	1.87	1-1/4"	223	1.86
1-1/2"	236	1-1/2"	1-1/2"	38	58	96	1.52	2.28	1-1/2"	252	2.31
2"	265	2"	2"	50	65	103	2.00	3.91	2"	287	4.13

General Material

NO	Type Parts Name	A3W Sealing	A3WL Lever
1	Valve body	Cast bronze	Cast bronze
2	Valve seat	Forging brass	Forging brass
3	Disc	Forging brass	Forging brass
4	Spring	Steel	Steel
5	Stem	Brass	Brass
6	Cap	Forging brass	Cast bronze
Working pressure		0.3 ~ 10 kgf/cm ²	
Working temp.		-45°C ~ 185°C	
Working fluid		Noncorrosive Gas · Noncorrosive Liquid · Steam	

AEROTECH INTERNATIONAL CO., LTD.
 TEL : 886-7-323-1390 , FAX : 886-7-321-6728
 E-mail : aerotech@ms21.hinet.net